

Non-Invasive Tests for the Identification of Gynecologic Disease

Corporate Presentation September 2024



Safe Harbor


This presentation contains forward-looking statements, as defined in the Private Securities Litigation Reform Act of 1995. All statements, other than statements of historical facts, included in this presentation are forward-looking statements. These forward-looking statements include, among others, statements about the strategies and objectives of Aspira Women's Health Inc. (the "Company"), including product and financial goals, potential addressable market and revenue opportunity, potential product expansion, anticipated timing of product launches and expected development of commercial relationships. The Company's actual results may differ materially from the views expressed in these forward-looking statements. Words such as "may," "expects," "intends," "anticipates," "believes," "estimates," "plans," "seeks," "could," "should," "continue," "will," "potential," "projects" and similar expressions are intended to identify such forward-looking statements.

The events and circumstances reflected in the Company's forward-looking statements may not be achieved or occur, and actual results could differ materially from those projected in the forward-looking statements. Readers are cautioned that these forward-looking statements speak only as of the date of this presentation, and the Company does not assume any obligation to update, amend or clarify them to reflect events, new information or circumstances after such date except as required by law. Company estimates set forth in this presentation are based on various sources of information and various assumptions and judgments made by the Company, which Company management believes are reasonable. However, the Company cannot assure you that Company estimates are correct, and actual data may materially differ from Company estimates.

The forward-looking statements are subject to certain risks, uncertainties and assumptions, including the risks and uncertainties inherent in the Company's business and including those described in the section entitled "Risk Factors" in the Company's Annual Report on Form 10-K for the year ended December 31, 2023, and in the Company's Quarterly Reports on Form 10-Q for the quarters ended March 31, 2024 and June 30, 2024.



Aspira Women's Health Investment Highlights






An Experienced Executive Team



Deloitte.








A Member of the Roche Group





Interim Chief Financial Officer















Myriad genetics



Our Portfolio of Commercial Products and Pipeline



Endometriosis





Our Suite of Commercial Products



Historical Clinical Consideration for Women with an Adnexal Mass



Patient presents
with vague
abdominal
bloating that is
recurring
frequently.

An internet search tells her it could be anything from IBS to cancer, driving confusion & frustration.

She visits her
ObGyn. Physical
exam is
unremarkable.
ObGyn includes
possible ovarian
cancer in differential
diagnosis.

Complete
workup
includes orders
for an
ultrasound
and bloodwork.

While waiting for her appointment, patient starts to worry and consults with family, friends and Dr. Google.

appointment, they find a 6cm mass.

It has a few

At the ultrasound

It has a few suspicious features, but not overtly malignant and is ruled indeterminate.



Healthcare providers may decide "it's better to be safe than sorry" and schedule surgery to remove the mass and/or ovaries.



Historical Treatment Paradigm Leads to Negative Outcomes

1.2M+ women in the US present with an adnexal mass each year, of which 200,000 will be referred for surgery.
 Most of those surgeries are performed on women without a malignancy.
 In the US, women with ovarian cancer will wait an average of 24 weeks to be diagnosed – the longest of anywhere in the developed world.

Traditional methods of diagnosis are ineffective

- Non-surgical tissue sample may result in dissemination of cancer cells
- · Ultrasounds are rarely definitive
- Off-label use of CA-125 is not sensitive or specific for diagnosis



Leads To

Late-stage cancer detection and unnecessary surgery

- 65% of ovarian cancers are found at Stages III and IV when 5-year survival rate is less than 30%
- 80%+ of women that undergo surgery to remove their ovaries do NOT have cancer



Blood Tests to Understand Malignancy Risk for Every Woman with an Adnexal Masses

Right Patient. Right Treatment. Right Time.





Non-Surgical Management

For the initial and periodic assessment of risk when an adnexal mass is likely benign or indeterminate in nature

Negative Predictive Value (NPV) = 99.4%



Planned for Surgery


A reflex process for women with an adnexal mass that are planned for surgical intervention

Has a sensitivity of 96% with clinical assessment. Adding the reflex process improves specificity to 72%.



VaSuite[™] Designed to Address a Significant Unmet Need in Gynecologic Care





The number of patients who benefit from our tests has increased with each expansion of the OvaSuite portfolio.

With the launch of the monitoring feature of OvaWatch, we believe the addressable market is now 10x that of the original Ova1Plus test.






For Initial and Ongoing Assessment of Ovarian Cancer Risk

OvaWatch is a non-invasive test intended for use in assessing the risk of ovarian cancer for women with adnexal masses that are likely benign or cannot be classified by initial clinical assessment (indeterminate).

With its superior negative predictive value, OvaWatch allows physicians to confidently choose the appropriate initial and ongoing clinical management path for their patients.





Strong Evidence to Support OvaWatch for Adnexal Mass Management

"Ovarian Cancer Surgical Consideration is Markedly Improved by the Neural Network Powered-MIA3G Multivariate Index Assay" published in Frontiers in Medicine (May 2024)

Use of OvaWatch may have significantly reduced surgical intervention in women with benign adnexal masses.

77% of premenopausal women59% of asymptomatic women62% of all women







For Women with Adnexal Masses Planned for Surgery

Ova1Plus is a proprietary reflex process

Included in Guidelines for Adnexal Mass Management



Ova1 performs better than off-label use of CA-125 alone

Ovarian
malignancies
properly identified
by Ova1
that were missed
by CA-125







Market Access and Reimbursement

We aim to make our OvaSuite of products available to all women



\$897_[a]



Available in 9 states





























Our Development Pipeline







Enhanced Assay for Improved Performance

Aspira's Advantages



Existing protein-based FDA approved test



Exclusive rights to miRNA identified by Dana Farber



Experience in AI developed tests and proprietary algorithms



Brand recognition with healthcare providers



Access to large biobank for verification and validation

OvaMDx Assay Features

A promising new Al-powered blood test to aid in the identification of ovarian cancer in women diagnosed with an adnexal mass.

- Non-invasive, blood-based assay utilizing multiple, differentiating biomarkers
- Combines Aspira's protein biomarkers with miRNAs licensed from Dana Farber and clinical data in a proprietary algorithm for:
 - Improved specificity for all stage cancers vs. proteins alone
 - Improved sensitivity for early-stage cancers vs. proteins alone
- Platform migration in process with CRO partner





Development Pathway

OvaMDx is an Al-powered multivariate blood test for the identification of ovarian cancer in women diagnosed with an adnexal mass. AWH has an exclusive license for the Dana Farber miRNA technology.

Discovery: Complete

miRNA signature published using NGS and qPCR

Establish miRNA detection feasibility on BioRad ddPCR

Establish performance of initial combined protein/miRNA signature

Design: In Process

Establish miRNA analytical properties on ddPCR

Down-select miRNAs

Complete miRNA/protein algorithm revision

Complete assay design inputs

Software design inputs

Verification & Validation

Complete Algorithm and software design outputs

Algorithm/ Assay Design freeze

Initial Reagent Lot Manufacture

Analytical and Clinical Validations

Regulatory & Launch

Regulatory strategy for efficient registration/ clearance pathway

Commercialization and launch activities



Endometriosis: A Diagnostic Dilemma

Endometriosis is a debilitating condition in which tissue similar to the lining of the uterus grows outside the uterus. It affects an estimated 6.5 million women in the US alone.

Only 50% of women who undergo a laparoscopic procedure are diagnosed with endometriosis.

Lack of effective tools for diagnosis

- Symptoms overlap with other conditions
- Currently requires an invasive procedure, typically laparoscopy with or without histologic verification



Leads to:

Potentially long times to diagnosis

- 4-11 years from first symptom onset to surgical diagnosis
- Symptoms may be ignored by patient or dismissed by physician





First-ever Protein-based Assay for Diagnosis of Endometriomas

Aspira's Advantages



FDA-approved platform



Validating in CLIA/CAP/ NY/CA/MD/PA/RI stateapproved laboratory



Experienced in Al developed tests utilizing protein biomarkers and proprietary algorithms

EndoCheck Assay Features

Designed to aid in the diagnosis of endometriomas, which are present in approximately 40%+ of women with endometriosis.

- Non-invasive, blood-based assay utilizing multiple, differentiating biomarkers
- Proprietary algorithm leverages core Aspira technologies and experience
- Developed with histology confirmed endometriosis and appropriate control cohorts


Currently running clinical validation with additional patient samples in CLIA-certified laboratory environment





Identification of Endometriomas with an AI-powered Protein Algorithm





Clear grouping of the endometrioma populations from non-endometriomas.

First-of-its-kind blood test with preliminary accuracy of 85% for the identification of endometriomas and preliminary specificity of 90-93%.

Performance of the EndoCheck algorithm was verified using statistically significant set of histologically confirmed samples obtained from the University of Oxford.

Additional validation is currently in process with approximately 400 samples collected from our ongoing clinical study. Data is expected to be available in the second half of 2024.



"If a physician can rule out ovarian cancer with OvaWatch and rule in or out endometrioma using EndoCheck, it allows for more confidence in understanding the diagnosis prior to initiating a treatment plan." -Kevin Elias, M.D., Gynecologic Oncologist and leading researcher





Development Pathway

EndoCheck is an Al-powered multivariate blood test to aid in the diagnosis of endometrioma, an endometriosis mass located on the ovary

Discovery: Complete

Protein signature pattern discovered at Aspira has been verified for endometrioma with samples from Oxford University

Design: Complete

Down-select protein biomarkers and refined algorithm for endometrioma

Verification & Validation

Verified in three separate cohorts (Oxford, DFCI and AWH)

Ongoing validation with prospective clinical study samples

Regulatory & Launch

Regulatory strategy for efficient registration/ clearance pathway

Commercialization and launch strategy TBD





Protein + miRNAs-based Assay for Diagnosis of All Types of Endometriosis

Aspira's Advantages



everages OvaMDx platform development



Ongoing clinical study providing samples to complete development



expertise

EndoMDx Assay Features

EndoMDx is being designed to aid in the diagnosis of all endometriosis, including the 60% not attributed to endometrioma.

- Expands patient population beyond endometrioma
- Non-invasive, blood-based assay utilizing proteins, clinical factors, and miRNAs
- Proprietary IP for miRNAs identified by DFCI under terms of our Sponsored Research Agreement
- Platform migration underway for simple ddPCR test for OvaMDx; EndoMDx will follow on same BioRad platform





Development Pathway

EndoMDx is an Al-powered multivariate blood test to aid in the diagnosis of all endometriosis

Discovery: In Process

miRNA and protein candidate features for endometriosis discovered at DFCI under sponsored RD agreement

Establish miRNA detection feasibility on BioRad ddPCR

Establish protein detection feasibility on commercial clinic platform

Design

Establish miRNA analytical properties on ddPCR

Down-select miRNAs

Down-select proteins

Complete miRNA/protein algorithm revision

Complete assay design inputs

Software design inputs

Verification & Validation

Complete Algorithm and software design outputs

Algorithm/Assay Design freeze

Initial Reagent Lot Manufacture

Analytical and Clinical **Validations**

Regulatory & Launch

Regulatory strategy for efficient registration/ clearance pathway

Commercialization and launch activities



2024 Product Development Milestones

- Publication of OvaWatch Longitudinal Monitoring Manuscript and Commercial Launch of Expanded Application
- Publication of OvaWatch Surgical Selection Manuscript
 - Publication and Presentation of EndoCheck Abstract (with Oxford University) at SRI on 3/15/24
 - Publication of MDx Related Manuscript(s)
 - 5 Research Grant Applications/Approvals
 - 6 Launch of EndoCheck
 - 7 FDA Submission for OvaWatch
 - BioRad platform migration for OvaMDx and EndoMDx




Operations





Financial Performance Snapshot

Q2 2024 YoY Comparison










Balance Sheet

Adjusted cash as of June 30, 2024: \$5.0M* 2024 Operating cash utilization target: \$13 to \$14.5M

Cash Used in Operations (in Millions)




 $^{^{\}star}$ Includes cash, cash equivalents and the gross proceeds from two transactions completed in July of 2024.



Sales Force Productivity: Doing More with Less

Shift to targeted marketing, turn-over of underperforming territories, commercial partnerships and inside sales led to **consistent improvement** in the number of tests sold by each full-time sales representative.



Team of 16 field sales reps as of June 20, 2024

- Average tenure of 2+ yrs
- 203 years of combined sales experience
- 87 years of combined women's health sales experience

*Calculated by dividing total volume per quarter by the average of the number of reps on the first and last days of the quarter.



OvaSuiteSM Field and Inside Sales Performance

Strategic refresh of commercial capabilities have resulted in steady increases in volume at a lower cost.





2024 Key Growth Drivers

OvaSuite Adoption and Growth



Complete commercial refresh to capture the large patient population of women with adnexal masses

Market Access and Reimbursement



Expand OvaSuite payer adoption and improve average unit price

Accelerate Innovation and R&D



Planned expansion of product portfolio

Collaboration Opportunities



Secure additional development and commercial partnerships







Contact Us

Nicole Sandford

Chief Executive Officer investors@aspirawh.com

